

STEEL CARE FOR YOU

# VETERINARY INSTRUMENTS CATALOGUE

2026



PREMIUM QUALITY  
AISI STAINLESS STEEL



EXCEPTIONAL  
DURABILITY



PRECISE  
PERFORMANCE



**WITTEX**  
INTERNATIONAL



PRECISION • DURABILITY • PERFORMANCE



[www.wittex.com](http://www.wittex.com)



**WI-001**  
Small percussion hammer,  
100 g, 17 cm long, chrome-plated



**WI-002**  
Medium percussion hammer,  
145 g, 19 cm long, chrome-plated



**WI-003**  
Large percussion hammer,  
190 g, 19 cm long, chrome-plated



**WI-004**  
Simple percussion hammer,  
70 g, 20 cm long, chrome-plated



**WI-005**  
Trömmer's percussion hammer,  
220 g, 22 cm long, stainless



**WI-006**  
**Pleximeter,**  
for large and small animals,  
50 x 28 mm, nickel plated



**WI-007**  
**Pleximeter,**  
for large animals,  
18.5 x 1.5 cm, nickel plated



**WI-008**  
**Pleximeter,**  
for large animals,  
15 x 2.5 cm, nickel plated



**WI-009**  
**Goetze's stethoscope**  
with rubber tubing and  
metal membrane ( 65 mm Ø)



**WI-010**  
**Reversible stethoscope**  
(as Rappaport) for large and  
small animal, memberane 45 mm Ø and 30 mm Ø



**WI-011**  
**Speculum**  
for aural, vaginal and rectal inspection,  
jaw 32 mm, stainless



**WI-012**  
**Killian's Speculum**  
for small animals, jaw 90 mm,  
stainless



**WI-013**  
**Noye's foreign body forceps,**  
suitable for otoscope funnels  
over 4 mm  $\varnothing$ , working length 10 cm,  
stainless



**WI-014**  
**Hartmann's foreign body forceps,**  
extra fine, suitable for otoscope funnels  
over 2.5 mm  $\varnothing$ , working length 13 cm,  
jaw 10 mm, stainless



**WI-015**  
**Buck's foreign body lever,**  
working length 11 cm,  
jaw 8 mm, stainless



**WI-016**  
**Dressing holder,**  
17 cm, 2 mm  $\varnothing$ , stainless



**WI-017**  
Otoscope with 3 tips, simple model



**WI-018**  
**Small Clip lamp,**  
high quality, durable pocket lamp,  
Rechargeable batteries, Bright,  
concentrated illumination by lens bulb,  
Length 12 cm, weight 50 g  
Spare bulb 2.5 v




**WI-019**  
**Mini 2000 Cliplamp,**  
a durable pocket lamp with  
rechargeable batteries, Bright,  
concentrated light by lens bulb  
2.5 v / Halogen



**WI-020**  
**Mini 2000 otoscope,**  
with batterie handle, very light,  
fits in every pocket, viewing window  
providing 3x magnification, swivelling  
viewing window, bright light.

**WI-020-1**  
**Re-usable tip,**  
made of high-density plastic for mini  
2000 otoscope, 1 set = 4 pcs.  
(2.4/3/4/5 mm Ø ergonomic shape, painless  
atraumatic insertion, all common germicides  
can be used, autoclavable up to 134°C



**WI-021**  
**Mini 2000 ophthalmoscope,**  
a full-function ophthalmoscope,  
size handy and easy to transport,  
bright, white light (2.5 volt halogen)  
and brilliant image, 4 different apertures



**WI-022**

**Otoscope Set**, Containing:

**Beta battery handle**, 2.5 volt, brightness control with ceramic resistor for short-circuit protection, metal handle sleeve.

**Battery** (1.5 volt), quicksilver-free, long life 2 pieces required)

**Diagnostic otoscope** with metal construction, 2.5 v, large, clear, undistorted image, glass viewing window, with 3x magnification, swivelling viewing window, insufflation port

**Re-usable tips**, high density plastic, 40 x 5.5 mm, autoclavable up to 134° C

**All parts are separately available**



**WI-022**

**Operating otoscope**, 2.5 V / halogen, lamp and magnifying glass swivelling

**Re-usable tips**, high density plastic, 50 x 4.5 mm

**Re-usable tips**, high density plastic, 70 x 4 mm

**Re-usable tips**, high density plastic, 70 x 5.5 mm

**Spreadable speculum** for use with otoscope head No. 022, jaw 35 mm

**Diagnostic otoscope** with metal housing, 3.5 V, clear, 3x magnification, swivelling viewing window, Insufflation port

**Spare bulb**, 3.5 volt halogen




**WI-024**

**Otoscope Beta 200 VET**, with distal fiber optics illumination, large, scratch-resistant viewing window of coated optical glass providing 3x magnification, integrated viewing window slides, robust metal housing, without specula

**Spare bulb**, 3.5 V, Halogen

**Re-usable tips**, made of high density plastic, ergonomic shape, dust and germs are easily removed, disinfection and autoclaving up to 134°

61 mm x 4 mm Ø 61 mm x 6 mm Ø 61 mm x 9 mm Ø



**WI-025**

**Slit illumination head**, with fiber optics illumination, for bright, homogeneous light, multi-coated and scratch-resistant swivel loupe providing 2x magnification

**Spare bulb**, 3.5 V, Halogen

**Spare Swivel lens**, for 2.5 V and 3.5 V, Halogen



**WI-026**  
**Speculum**, closed, 150 mm long, 10 mm  
**Spreadable speculum** for use with slit head No 025 95 mm



**WI-027**  
**Polansky's Vaginal Speculum**, 25 cm, nickel-plated  
**Lamp carrier with nut**, for speculum No.027



**WI-028**  
**Lightning attachment**,  
complete with 2 batteries for tube  
specula



**WI-029**  
**Vaginal Spaeculum**,  
for sheep 16 cm. nikel. Plated



**WI-030**  
**Goetze's tube speculum ,**  
light metal, 38 cm 4 cm  $\varnothing$



**WI-031**  
**Tube Speculum,**  
for pigs and cows, nikel plated brass.



**WI-032**  
**Abelein's tube speculum,**  
light metal, 34 cm conical 4 to 7.5 cm  $\varnothing$



**WI-033**  
**Tube specula cylindrical,brass, nikel- plated**  
**with built-in lamp carrier for lightening attachment**



**WI-034**  
**Disposable speculum** for mares, 27 mm  $\varnothing$  450 mm  $\varnothing$  long



**WI-035**  
**Lightening attachment**  
complete with 2 batteries for tube specula



**WI-036**  
**Probe ended canula**  
for anaesthesia of the spermetic cord, push on made of brass nikel-plated 14 cm long



**WI-037**  
**Round ended probe,**  
15 cm stainless  
2 mm $\varnothing$ , 3 mm $\varnothing$



**WI-038**  
**Grooved director,**  
14.5 cm stainless



**WI-038**  
**Retractor**  
12 cm stainless



**WI-039**  
**Retractor**  
Double sharp 20 cm long  
chrome plated



**WI-040**  
**Retractor Double**  
Blunt, 20 cm long, chrome plated



**WI-041**  
**Retractor**  
four -pronged, 20 cm long,  
chrome plated



**WI-042**  
**Hook Retractor forceps**  
with ratchet, take- apart, 20 cm



**WI-043**  
**Hook Retractor forceps**  
with ratchet, take- apart, 24 cm  
chrome plated



**WI-044**  
**Czerny's hook retractor forceps**  
20 cm , with 4: 4 teeth, stainless



**WI-045**  
**Backhaus' towel clip**  
13 cm , stainless



**WI-045**  
**Backhaus' towel clip**  
9 cm , stainless



**WI-045**  
**Towel clip, forceps**  
from, 9 cm , stainless



**WI-046**  
**Mosquito forceps with ratchet,**  
12.5 cm , stainless



**WI-047**  
**Gross' dressing forceps**  
14 cm , stainless

# Forceps



**WI-048**  
**Dissecting Forceps**  
length 11.5 cm 13 cm 14.5 cm  
16cm 20 cm 30 cm  
extra schlank / extra fine  
14.5 cm



**WI-049**  
extra schlank / extra fine  
14.5 cm



**WI-050**  
**Tissue Forceps**  
with 1:2 teeth stainless  
length 11.5 cm 13 cm  
14.5 cm 16 cm



**WI-051**  
extra stark / extra strong  
14.5 cm



**WI-052**  
**Tissue forceps**  
with 2 : 3 teeth,  
14.5 cm stainless



**WI-053**  
**Splinter forceps**  
stainless  
8 cm 11.5 cm 13 cm



**WI-054**  
**Feilchenfeld's forceps**  
stainless  
7.5 cm 9 cm 11.5 cm



**WI-055**  
**Troeltsch's**  
**dressing forceps**  
for ear treatment, angular,  
12 cm stainless



**WI-056**  
**Lucae's**  
**dressing forceps**  
bayonet for ear treatment  
14 cm stainless



**WI-057**  
**Iris forceps**  
with serrated tips,  
10 cm, straight, stainless



**WI-058**  
**Iris forceps**  
10 cm, half curved,  
stainless



**WI-059**  
**Graefe's fixation  
forceps**  
11 cm, stainless



**WI-060**  
**Knapp's eye lid  
forceps**  
11.5 cm, stainless



**WI-061**  
**Dental forceps**  
curved point, 15 cm  
stainless




**WI-062**  
**Razor Blade holder**  
15 cm stainless



**WI-063**  
**Scalpel handle**  
14 cm, stainless



**WI-063**  
**Scalpel handle  
hollow grip,**  
15 cm, stainless



**WI-064**  
**Scalpel blades,**  
singly steril packed, suitable  
for handles


# Scalpel Handles



**WI-065**  
Bayha scalpel  
handle,  
13 cm stainless



**WI-066**  
Bayha scalpel  
handle,  
forceps from 13 cm, stainless



**WI-067**  
Scalpel blades,  
singly steril packed, suitable  
for handles pack of 12 pcs.



**WI-068**  
Disposable Scalpels  
steril packed, 12 cm  
box of 10 pcs.



**WI-069**  
Rounded



**WI-070**  
Gerade/straight  
probe ended



**WI-071**  
Tenotom probe  
ended



**WI-072**  
Tenotom /  
tonotomem  
ended



**WI-073**  
Light surgical  
scalpel rounded  
15.5 cm blade 4 cm  
stainless



**WI-074**  
Light surgical  
scalpel, pointed,  
15.5 cm blade 3.5 cm  
stainless



**WI-075**  
**Straight,**  
blunt pointed  
13 cm 15.5 cm 16.5 cm  
extra stark 16.5 cm



**WI-076**  
**Straight,**  
pointed, pointed  
13 cm 15.5 cm



**WI-076**  
**Straight,**  
blunt / blunt  
11 cm 13 cm 15.5 cm



**WI-077**  
**Curved,**  
blunt / blunt  
13 cm 15.5 cm 16.5 cm  
extra stark 16.5 cm



**WI-078**  
**Curved,**  
blunt point  
13 cm 16.5 cm



**WI-079**  
**Metzenbaum's scissor**  
blunt - blunt  
11.5 cm 14.5 cm 18 cm  
straight / curved



**WI-080**  
**Iris 'scissor**  
10.5 cm  
straight



**WI-081**  
**Iris 'scissor**  
10.5 cm  
curved



**WI-082**  
**Iris 'scissor**  
11.5 cm  
lateral curved



**WI-083**  
**Iris 'scissor**  
11.5 cm  
angled

# Scissors



**WI-084**  
**Lister's dressing scissor**  
14 cm stainless



**WI-085**  
**Richter's dressing scissor** extra strong,  
blunt-blunt 17.5 cm,  
stainless



**WI-086**  
**Foot ring scissor**  
for birds, 10 cm stainless



**WI-087**  
**Scissors**  
with two probe points,  
straight, 16 cm, stainless



**WI-088**  
**Spencer's ligature scissors**, straight,  
9 cm stainless



**WI-089**  
**Scissors**  
with one probe points,  
straight, 14.5 cm, stainless



**WI-090**  
**Plaster shears**,  
20 cm stainless



**WI-091**  
**Hoffmann's docking shear**, 20 cm, chrome-plated



**WI-092**  
**Blunt-Pointed,**  
14.5 cm  
Straight / Curved



**WI-093**  
**Pointed-Pointed,**  
14.5 cm  
Straight / Curved



**WI-094**  
**Blunt-Blunt,**  
14.5 cm  
Straight / Curved



**WI-095**  
**Metzenbaum's,**  
**scissors, blunt-blunt**  
14.5 cm, 18 cm,  
Straight / Curved



**WI-096**  
**Mayo's scissors,**  
blunt-blunt  
14.5 cm, 17 cm,  
Straight / Curved



**WI-097**  
**Mayo Stille's scissors,**  
blunt-blunt  
15 cm, 17 cm, Curved



**WI-098**  
**Eye scissors,**  
pointed-pointed  
11.5 cm, Curved

# Artery Forceps



**WI-099**  
**Mosquito Forceps,**  
with ratchet, 12.5 cm stainless  
straight / curved



**WI-100**  
**Fine artery forceps,**  
straight , long jaws,  
10 cm stainless  
with 1:2 teeth &  
without teeth



**WI-101**  
**Pean's artery forceps,**  
straight , short jaws, stainless  
13 cm , 14.5 cm



**WI-102**  
**Pean's artery forceps,**  
straight , long jaws, stainless  
13 cm , 14.5 cm, 16 cm, 20 cm,  
24 cm, 26 cm straight / curved



**WI-103**  
**Kocher-Och forceps,**  
with 1:2 teeth long jaws, stainless  
14.5 cm, 16 cm, 20 cm,  
24 cm, 26 cm straight / curved



**WI-104**  
**Ochsner's artery forceps,**  
extra strong, with 1:2 teeth,  
20 cm, stainless



**WI-105**  
**Doyen's intestinal forceps,**  
diagonal rifled, elastic, 16.5 cm,  
stainless steel straight / curved



**WI-106**  
**Doyen's intestinal forceps,**  
24 cm, stainless steel straight / curved



**WI-107**  
**Hartmann's intestinal forceps,**  
20 cm, stainless steel straight / curved



**WI-108**  
**Intestinal forceps,**  
Baby-Kocher, elastic, curved  
13 cm stainless steel



**WI-109**  
**Allis forceps,**  
for tissue grasping, 5:6 teeth,  
15 cm, stainless steel



**WI-110**  
**Mikulicz's peritoneum forceps,**  
with 1:2 teeth, curved  
14 cm, stainless steel



**WI-111**  
**Dog ear clamps,**  
light metal 10 cm, 14 cm,  
straight / curved



**WI-112**  
**Liston's bone forceps,**  
19 cm, stainless



**WI-113**  
**Fergusson's bone  
holding forceps,**  
21 cm, stainless



**WI-114**  
**Trepine with 2 crowns,**  
20 mm and 23 mm  $\varnothing$ ,  
15 cm, chrome-plated



**WI-115**  
**Trepine Set,** In plastic case, containing:  
1 trephine 114 1 lins knife, bone screw, chisel



**WI-116**  
**Sharp spoon,**  
Size 15 x 10 mm, 20 cm long,  
stainless



**WI-117**  
**Sharp spoon,**  
Size 10 x 7 mm, 15 cm long,  
stainless



**WI-118**  
**Sharp spoon,**  
Size 2 x 3 mm $\varnothing$ ,  
12 cm long, stainless



**WI-118**  
**Volkmann's spoon,**  
Size 20 x 6 mm and  
10 x 6 mm, 15 cm long,  
stainless



**WI-119**  
**Volkmann's**  
**double spoon,**  
Size 22 x 7 mm and  
15 x 6 mm, 20 cm long,  
stainless



**WI-120**  
**Retractor,**  
with 4:4 blunt teeth  
10 cm, stainless



**WI-121**  
**Retractor,**  
with 4:4 blunt sharp,  
10 cm, stainless



**WI-122**  
**Weitlaner's retractor**  
with 3:4 sharp teeth,  
13 cm, 16.5 cm stainless




**WI-123**  
**Retractor,**  
12 cm, stainless

# Suture Needles



**WI-124**  
**Suture needle,**  
curved, spring head, triangular, nickel-plated - all needles are available in packs of 12 pcs, in heat sealed visible packaging-  
  
Set suture needle consisting one of each needle no. 1-12  
  
Suture needles size 1 to 12, please specify desired size



**WI-125**  
**Suture needles,**  
round profile, spring head, nickel-plated - all needles are available in packs of 12 pcs, in heat sealed visible packaging-  
  
Set suture needles consisting one of each needle no. 1-12  
  
Suture needles size 1 to 12, please specify desired size



**WI-126**  
**Suture needles,**  
Half curved, spring head, nickel-plated - all needles are available in packs of 12 pcs, in heat sealed visible packaging-  
  
Set suture needles consisting one of each needle no. 1-12  
  
Suture needles size 1 to 12, please specify desired size



**WI-127**  
**Deschamp's ligature needle,** 20 cm, stainless right / left



**WI-128**  
**Gerlach's suture needle**  
with open grip, 15 cm, chrome -plated



**WI-129**  
**Sterilizing and storage container** for suture needles,  
60 x 40 x 8 mm, stainless



**WI-129**  
**Michels-Bayer suturing set,**  
containing: 1 clip forceps for applying and  
removing wound clip and 25 mm metal case appr,  
15 x 6.5 x 2.2 cm, stainless



**WI-130**  
**Forceps,**  
for applying metal  
wound clips,  
12.5 cm, stainless



**WI-131**  
**Mechel's Forceps,**  
for applying wound clips,  
12.5 cm, stainless



**WI-132**  
**Forceps,**  
for applying and removing  
wound clips, 12 cm, stainless



**WI-133**  
**Wound clips,**  
stainless, package of 100 pcs,  
12 mm 14 mm 16 mm 18 mm



**WI-134**  
**Large wound clip,**  
for cattle, nickel-plated, pack of  
100 pcs,



**WI-135**  
**Forceps,**  
for clips 15 cm



**WI-136**  
**Mathieu's needle holder,**  
with hard metal jaw  
14 cm, 17 cm, 20 cm strong model



**WI-137**  
**Olsen-Hegar's**  
**needle holder with scissor,**  
and hard metal  
jaws, stainless



**WI-138**  
**Ermold's needle holder,**  
17 cm, stainless

## Post Mortem Instruments



**WI-139**  
**Cartilage knife**  
plastic handle, 17.5 cm



**WI-140**  
**Two pronged,**  
**double ended muscle hook,**  
7 cm, stainless



**WI-141**  
**Sharpening steel**  
for P.M. knives, 17 cm,  
hard-chrome plated



**WI-142**  
**Sharpening steel**  
for P.M. knives, 35 cm,  
hard-chrome plated

### **WI-143**

**P.M. set** in solid wooden case, containing:

- Bow saw
- Saw
- Hammer
- Spine wrench
- Chisel, 20 cm
- Chisel, 23 cm
- Virchow's scalpel
- Cartilage knife
- Bowel scissors
- Tenotomy scissors
- Dissectin forceps
- Bone holding forceps
- Bone scissors
- Probe, 2 mm Ø
- Probe, 3 mm Ø
- Measure





**WI-144**  
**Meat inspection knife**  
with metal grip, 23cm,  
blade 10.5 cm



**WI-145**  
**Meat inspection knife**  
with plastic handle, rounded,  
31 cm, blade 17 cm



**WI-146**  
**Meat inspection knife**  
with plastic handle, pointed,  
31 cm, blade 17 cm



**WI-147**  
**Take apart sheath**  
of light metal, for two meat  
inspection knives



**WI-148**  
**Marking scissors,**  
fine points, curved shanks, 16.5 cm  
nickel-pointed



**WI-149**  
**Marking scissors,**  
curved points, straight shanks  
19 cm nickel-plated stainless



**WI-150**  
**Trichino scissors,** stainless  
11 cm, straight 11 cm, curved  
13 cm curved

# Tattooin Forceps for Small Animals



**WI-151**  
**Longitudinal tattooing forceps**, character height 5 mm, 7 spaces, 20 cm long, in robust storage box, excluding accessories



**WI-152**  
**Horizontal tattooing forceps**, character height 5 mm, 4 spaces, 15 cm long, in robust storage box, excluding accessories  
**Set of figures**, character height 5 mm, with round points, excluding blank plate, in plastic bag  
**Figures**, single, character height 5 mm with round points  
**Blank plate**, 5 mm




**WI-153**  
**Horizontal tattooing forceps**, character height 5 mm, round points, with 6 blank plate and tweezers, in wooden case  
**Wooden case**, separately, for a double set of figures with 5 mm character height or for a single set figures of 7 mm character height



**WI-154**  
**Longitudinal tattooing forceps**, character height 7 mm, 7 spaces, 20 cm long, in robust storage box, excluding accessories



**WI-155**  
**Horizontal tattooing forceps**, character height 7 mm, 7 spaces, 17 cm long, in robust storage box, excluding accessories  
**Horizontal tattooing forceps**, for sheep, character height 7 mm, 9 spaces, 17 cm long, in robust storage box, excluding accessories  
**Set of figures**, character height 7 mm, with round points excluding blank plate, in plastic bag  
**Figures**, single, character height 7 mm with round points  
**Blank plate**, 7 mm



**WI-156**  
**Alphabet**, character height 7 mm, with round points excluding blank plate in box  
**Letters**, single, character height 7 mm, with round points  
**Set of figures**, character height 7 mm, with flat points, excluding blank plate, in plastic bag  
**Figures**, single, character height 7 mm with flat points  
**Alphabet**, character height 7 mm, with flat points excluding blank plate in box  
**Letters**, single, character height 7 mm, with flat points



**Slagle numbers, 20 mm**

**WI-157**

**Pig shoulder tattoo, double row, 20 mm size, stainless**

8 stelling	10stellig	12 stellig
8 spaces	10 spaces	12 spaces



**WI-158**

**storage case, metal, for 2 sets of numbers and 2 letters, 30 mm size**

**WI-158 A**

**storage case, for slapper's, number and letters**



**WI-159**

**Plier, for fastening the "Neoflex"- tags**



**WI-160**

**Plier, for fastening the "Neoflex-S"- tags**

# Ear Tag & Blood-Taking, Infusion Set



**WI-161**  
**Fastening Plier**, for laboratory animal ear tags, 14 cm  
Ear tags, for rabbits and guinea pigs, consecutively numbered up to a maximum of 9999, brass, to be fastened without pliers, packets of 100 pcs,



**WI-162**  
**Schecker's staunching forceps**, nickel-plated



**WI-163**  
**Witte's chain tourniquet**, length 1.70 m, nickel-plated

## Bull Ring and Bull Ring Applicator



**WI-164**  
**Flessa bull ring applicator for Flessa bull rings**, 52 mm Ø, 27 cm long  
61 mm Ø, 27 cm long



**WI-165**  
**Flessa bull ring**, 52 mm Ø, normal steel  
52 mm Ø, stainless steel  
52 mm Ø, chrome plated  
**WI-166**  
**Flessa bull ring**, 61 mm Ø, normal steel  
61 mm Ø, stainless steel  
61 mm Ø, chrome plated



**WI-167**  
**Bull leader**, steel tubing with metal slide, strongly constructed, 1.45 m long  
**Bull leader**, steel tubing with metal slide, strongly constructed, 1.20 m long



**WI-168**  
**Bull leader**, light model, with open handle, 1.45 m long



**WI-170**  
Hauptner bull ring,  
for rings 57 mm Ø, normal steel  
**Hauptner bull ring ,**  
for rings 57 mm Ø, stainless steel  
(import model)  
**Hauptner bull ring,**  
for rings 57 mm Ø, chrome plated



**WI-170 A**  
Hauptner bull ring,  
for rings 65 mm Ø, normal steel  
**Hauptner bull ring ,**  
for rings 65 mm Ø, stainless steel  
(import model)  
**Hauptner bull ring,**  
for rings 65 mm Ø, chrome plated




**WI-172**  
**Pig nose rings,**  
self-piercing and self-locking,  
40 mm Ø, normal steel, best  
quality, singly controlled  
Minimum quantity 100 pcs.



**WI-169**  
Hauptner bull ring applicator,  
for rings 57 mm Ø, 32 cm long, nickel plated  
**Hauptner bull ring applicator,**  
for rings 57 mm Ø, 32 cm long, nickel plated  
(import model)  
**Hauptner bull ring applicator,**  
for rings 65 mm Ø, 32 cm long, nickel plated

**WI-171**  
Hauptner quality pig nose  
rings prevent the  
natural foraging by pigs  
**Hauptner- Pig nose ring applicator,**  
forged steel, for rings

## Bull Holders and Mouth Gags



**WI-173**  
**Nose twitch for horses,**  
ca, 34.5 cm long



**WI-174**  
**Nose holder for cattle,**  
simple model, 11 cm long



**WI-175**  
**Eisenhut's cow holder,**  
ca, 44 cm long

## Bull Holders and Mouth Gags



**WI-176**  
**Harm's bull holder,**  
forged steel, 20 cm long,  
nickel plated



**WI-177**  
**Bull holder,**  
stainless, ca 19 cm long,  
simple model



**WI-178**  
**Holding forceps,**  
for cattle, forged steel, 33 cm long,  
nickel-plated



**WI-179**  
**Schulze's mouth gag,**  
for horses and cattle, 35 cm,  
nickel-plated



**WI-180**  
**Mouth gag for horses,**  
height 18 cm, nickel-plated and  
chrome



**WI-181**  
**Gunther's mouth gag,**  
for anesthesied horses, width  
17.5 cm, height 11 cm, chrome-plated

# Mouth Gags



**WI-182**  
**Schoupe's mouth gag,**  
for horses, 27 cm stainless



**WI-183**  
**Bayer's wedge,** for horses and  
cattle, max. height 7 cm, nickel-plated



**WI-184**  
**Mouth gag for dogs,** distance approx,  
8.5 cm, nickel-plated  
**Mouth gag for dogs,** distance approx,  
14.5 cm, nickel-plated



**WI-185**  
**Mouth gag for cats,** distance approx,  
6 cm, chrome-plated  
**Mouth gag for cats,** distance approx,  
6 cm, nickel-plated



**WI-186**  
**Cheek spreader por rabbits,**  
stainless 5.5 cm 8 cm



**WI-187**  
**Cheek spreader**  
**por rabbits,**  
strong pattern, stainless  
13 cm 12 cm



**WI-188**  
**Wooden wedge,**  
for dogs



**WI-189**  
**Tongue holding forceps,**  
Collin's type, 17 cm, stainless



**WI-190**  
**Blade,**  
17.5 cm, stainless



**WI-191**  
**Lewis' tooth rasp,**  
for small rodents, 18 cm  
stainless



**WI-192**  
**Friedmann's dental forceps,**  
for rodents, 12 cm, stainless



**WI-193**  
**Dental forceps,**  
straight, 17 cm, stainless



**WI-194**  
**Dental forceps,**  
curved, 17 cm, stainless



**WI-195**  
**Dental forceps,**  
straight, 14 cm, stainless



**WI-196**  
**Dental forceps,**  
ca, 45 curved 11 cm, stainless



**WI-197**  
**Dental forceps,**  
for upper jaw, curved,  
16.5 cm stainless



**WI-198**  
**Dental forceps,**  
for lower jaw, curved,  
16.5 cm stainless



**WI-199**  
**Dental forceps,**  
for pulling out wolf tooth by horses,  
30 cm, stainless



**WI-200**  
**Forceps,**  
for trimming pig's teeth, 13 cm,  
chrome-plated



**WI-201**  
**Dental forceps,**  
for horses, 52 cm, nickel-plated



**WI-202**  
**Bein's root elevator,**  
14 cm, stainless  
5 mm 3 mm 2mm



**WI-203**  
**Dental forceps,**  
curved point, rified,  
15 cm, stainless



**WI-204**  
**Tooth scaler,**  
15 cm, stainless



**WI-205**  
**Tooth scaler,**  
15 cm, stainless



**WI-206**  
**Tooth scaler,**  
15 cm, stainless



**WI-207**  
**Tooth scaler,**  
15 cm, stainless



**WI-208**  
**Tooth rasp,**  
with wooden handle, detachable rasp  
for push and pull rasping, straight, 65 cm



**WI-209**  
**Dr. Schwarz tooth rasp,**  
with plastic handle, with curved,  
hardmetal rasp section and movable  
head can be fixed, 65 cm

## Restraining Instruments



**WI-210**  
**Anti-cow kicker,**  
galvanized



**WI-211**  
**Bron's clamp,**  
for restraining cattle, 35 cm



**WI-212**  
**Trop's wire nose pig holder,**



**WI-213**  
**Schoettle's pig holder,**  
tube 60 cm, strong wire 22 cm Ø  
**Spare wire,** without handle  
**Spare wire,** with handle



**WI-214**  
**Dog catcher,**  
tube 150 cm, strong wire ca, 30 cm Ø



**WI-215**  
**Strub's ring,**  
for crib biters



**WI-216**  
**Forceps,**  
for ring 24 cm, nickel-plated



**WI-217**  
**Emasculator,**  
Produces a double squeezing,  
32 cm long



**WI-218**  
**Reimers' emasculator,**  
enables the operator to cut and  
squeeze, 30 cm long



**WI-219**  
**Serra emasculator,**  
length 36 cm for the castration of  
stallions, with this instrument the  
sperm cord is caught, hold, squeezed  
and cut in one movement, the danger of  
haemorrhage is reduced to a minimum.



**WI-220**  
**Serra emasculator,**  
modified with curved handles  
for castration at the standing stallion,  
without ratchet, 35 cm long

## Emasculators / Castrators



**WI-221**  
**Haussmann's emasculator,**  
36 cm, for heavy horses  
19 cm, for piglets  
27 cm, for horses and boars



**WI-222**  
**Verböczy's emasculator,**  
for horses and boars, **double squeezing**  
and cut, 30 cm long



**WI-223**  
**Liliput emasculator,**  
for rabbits, 15 cm long



**WI-224**  
**Curved emasculator,**  
with scissor grip, for spaying of  
sows and bitches, 20 cm long



**WI-225**  
**Bloodless castrator,**  
for bulls, large, with cord stop  
and knee bracket, 48 cm jaws 8 cm



**WI-226**  
**Bloodless castrator,**  
for rams, small, with cord stop,  
30 cm, jaws 4.5 cm



**WI-227**  
**Reisinger's effeminator,**  
Modified by Richter, for cow overio-  
tomy, 56 cm long



**WI-228**  
**Castration knife,**  
Rounded blade



**WI-229**  
**Castration knife,**  
with wooden handle



**WI-230**  
**Castration hook,**  
for cats, 14.5 cm, bow  
7 mm, stainless



**WI-231**  
**Scalpel handle,**  
for interchangeable blades,  
14 cm long



**WI-232**  
**Scalpel blades,**  
rounded, steril, small,  
for handles no.231



**WI-233**  
**Scalpel handle,**  
for interchangeable blades,  
hollow grip. 14 cm long



**WI-234**  
**Scalpel blades,**  
rounded, wide, steril, for  
handles



**WI-235**  
**Bayha scalpel handle,**  
for interchangeable blades,  
13 cm, long



**WI-236**  
**Bayha scalpel blades,**  
small, steril, for handles  
**Bayha scalpel blades,** rounded, wide,  
steril, for handles



**WI-237**  
**Stretching forceps,**  
for castration of lambs and  
docking of pig tails, 21.5 cm



**WI-238**  
**Schumann's stretching forceps**  
for castration or docking of lambs, 37 cm long



**WI-239**  
**Dehorining shears**  
with one pair of spare blades,  
76 cm long



**WI-240**  
**Robert's disbudder**  
for calves, can be used at  
the age of 6 to 8 weeks, 13 cm,  
chrome-plated



**WI-241**  
**Goetze's hand grip**  
for wire saw, barrel shaped,  
chrome-plated



**WI-242**  
**Goetze's hand grip**  
for wire saw, open handle,  
nickle-plated



**WI-243**  
**Hand grip**  
for wire saw, barrel shaped,  
stainless



**WI-245**  
**Furstenberg's milk tube,**  
with rounded head and side  
openings, 9 cm, nickel-plated  
2 mm $\varnothing$  2.5 mm $\varnothing$  3 mm $\varnothing$



**WI-246**  
**Furstenberg's milk tube,**  
with round head and side  
openings with Luer, 9 cm, nickel-plated  
2 mm $\varnothing$  2.5 mm $\varnothing$  3 mm $\varnothing$



**WI-247**  
**Kaiser's milk tube,**  
with central and side openings,  
8.5 cm 2.5 mm $\varnothing$ , chrom-plated



**WI-248**  
**Bartels' teat canulae,**  
2.5 mm $\varnothing$ , chrome-plated  
6 cm 8 cm



**WI-249**  
**Teat splitter Swiss model,**  
9.5 cm, 4mm $\varnothing$ , chrome-plated



**WI-250**  
**Hug's teat splitter,**  
12.5 cm, 4 mm $\varnothing$ , stainless

## Teat Instruments



**WI-251**  
**Hug's teat lancet,**  
12 cm 2.5 mm Ø, stainless



**WI-252**  
**Schecker's teat dillator,**  
11.5 cm, stainless



**WI-253**  
**Teat knife,**  
French model, 6.5 cm,  
stainless



**WI-254**  
**Teat splitter,**  
Danish model, 19 cm, 2.8 mm Ø  
with screw nickel-plated



**WI-255**  
**Ullner's teat curette,**  
17 cm, stainless



**WI-256**  
**Infusion catheter,**  
with side opening and  
tubing adapter, 7.5 cm,  
2.5 mm Ø, chrome-plated



**WI-257**  
**Hoof tester,**  
with straight shanks, jaw  
15 cm, 30 cm, chrome-plated



**WI-258**  
**Hoof tester,**  
with straight shanks, jaw  
15 cm, 30 cm, simple  
pattern, stainless



**WI-259**  
**Hoof tester,**  
model vienna", 40 cm,  
jaw 20 cm, stainless



**WI-260**  
**Lütje's folding**  
**hoof tester,**  
jaw 12 cm, 24 cm,  
chrome plated



**WI-261**  
**Quittor knife,**  
all metal, 18 cm,  
stainless



**WI-262**  
**Frick's sharp curette,**  
20 cm, stainless



**WI-263**  
**Multiple action hoof shear,**  
with interchangeable blades  
42 cm , 49 cm



**WI-264**  
**Hoof side cutter**  
with interchangeables blades,  
multiple action 60 cm

# Hoof Knives



**WI-265**  
**Hoof knife**  
with white wooden handle  
cutting length 6.5 cm right



**WI-266**  
**Hoof knife**  
with brown wooden handle,  
cutting length 6.5 cm right



**WI-267**  
**Hoof knife**  
with brown wooden handle,  
for small horses, cutting  
length 5.5 cm right



**WI-268**  
**Hoof knife**  
with black wooden handle,  
and thin blade, nickel-plated  
cutting length ca. 6.5 cm right



**WI-269**  
**Hoof knife**  
with brown wooden handle,  
and thin blade, nickel-plated  
cutting length 5.5 cm right



**WI-270**  
**Hoof knife**  
with brown wooden handle,  
double cutting, edge, cutting  
length 7 cm right



**WI-271**  
**Sage knife**  
with metal handle,  
blade, 4.5 cm, nickel-plated



**WI-272**  
**Claw knife**  
with wooden handle,  
18 cm



**WI-273**  
**Hoof knife**  
with white wooden handle,  
cutting length 6.5 cm, left



**WI-274**  
**Hoof knife**  
with brown wooden handle,  
cutting length 6.5 cm, left



**WI-275**  
**Hoof knife**  
with brown wooden handle,  
for small horses, cutting  
length 5.5 cm, left



**WI-276**  
**Hoof knife**  
with black wooden handle,  
and thin blade, nickel-plated  
cutting length 6.5 cm, left



**WI-277**  
**Hoof knife**  
with brown wooden handle  
and thin blade, cutting length  
5.5 cm, left



**WI-278**  
**Hoof knife**  
with brown wooden handle  
and double cutting edge  
cutting length 7 cm, left



**WI-279**  
**Sharpening stone**  
for hoof knives, 15 cm



**WI-279 A**  
**Hoof knife set,**  
handle with spring fastening  
and 5 interchangeable blades,  
2 drawing knives, 1 sage knife,  
1 searcher, 1 hoof knife, in leather case



**WI-280**  
**Send's calving rope introducer,**  
Light model (brass), nickel - plated

Send's calving rope introducer,  
Pliable, heavy model, made of copper



**WI-281**  
**Bahlcke's embryotomy,**  
wire saw introducer, chrome-plated



**WI-284**  
**Freyberger's eye hook,**  
Flat, 5 cm, chrome-plated



**WI-285**  
**Double eye hook,**  
Model wien, stainless



**WI-286**  
**Krey-Schottler's**  
obstetric hook,  
Sharp, stainless



**WI-287**  
**Hohmann's**  
wire hook,  
for piglets, 50 cm,  
chrome-plated



**WI-288**  
**Niemand's whelping**  
forceps,  
28 cm, stainless



**WI-282**  
**Kuehn's crutch,**  
Modified by Dr. Benesch, without  
rope



**WI-283**  
**Harms sharp eye hooks,**  
Chrome-plated  
Length 8 cm 10 cm



**WI-289**  
**Witt's farrowing forceps.**  
52 cm, chrome-plated



**WI-290**  
**Farrowing forceps**  
53 cm, stainless



**WI-291**  
**Linde's ring knife**  
with shaped hand-piece,  
nickel-plated



**WI-292**  
**Guenther's ring Knife,**  
Modified by Tapken, with hook  
shaped blade, nickel-plated



**WI-293**  
**Thygesen's wire saw embryotome,**  
Modified by Goetze, complete with wire saw  
barrel shaped hand grips, take-apart introducer  
probe and cleaning brush, 85 cm long chrome-plated



**WI-294**  
**Goetze's hand grip**  
for wire saw, single,  
barrel shaped



**WI-295**  
**Hand grip for wire saw,**  
barrel shaped, stainless




**WI-296**  
**Goetze's hand grip,**  
for wire saw, single, open  
handle, nickel-plated



**WI-297**  
**Calving chain grip,**  
ring patten, nickel-plated



**WI-298**  
**Traction grip**  
for calving chains,  
chrome-plated



**WI-299**  
**Flessa vulva sutures**  
with round wooden ball, barrel shaped or plastic

Balls, Barrel, Plastic  
40 mm, 50 mm, 60 mm, 70 mm, 80 mm



**WI-300**  
**Brackets**  
Made of light metal, 10.5 cm, pair



**WI-301**  
**Flessa needle**  
for the introduction of Flessa vulva sutures, reversible, chrome-plated



**WI-302**  
**Leipold's needle**  
for inserting Flessa vulva sutures, nickel-plated



**WI-303**  
**Hauptner's suture needle**  
for the surgical suturing method in vaginal and uterine prolapsus, 23.5 cm, chrome-plated



**WI-304**  
**Abelein's cervix canula**  
with Hauptner mount, 37 cm, 5 mmØ, chrome-plated



**WI-305**  
**Cervix canula**  
with Luer mount, 37 cm, 5 mmØ,



**WI-306**  
**Dr. Glock's uterine catheter**  
with Luer mount, for sows, 45 cm, 5 mmØ, chrome-plated



**WI-307**  
**Curved uterine catheter**  
with tubing mount, 39 cm, 8 mmØ, chrome-plated  
Hauptner mount Luer mount



**WI-308**  
**Imminger's urinary catheter**  
for cows, with tubing mount, 30 cm, 5 mmØ, chrome-plated



**WI-309**  
**Merkt's swab catheter**  
for taking samples from vaginal  
mucous of mares, nickel-plated



**WI-310**  
**Probang catheter**  
for collecting cultures from  
mares, 50 cm long, stainless steel



**WI-311**  
**Kevorkian's uterine  
biopsy forceps,**  
54 cm, long stainless



**WI-312**  
**Uterine culture swab,**  
Complete disposable system for  
collecting cultures from mares.  
Consists of protection tube and  
swab. After collecting swab and  
protection tube are snapped apart  
and swab is capped in its own tube,  
ready for sending to laboratory,



**WI-313**  
**Soederlund's uterine catheter,**  
with Luer mount, 40 cm, 7.6 mmØ, chrome-plated



**WI-314**  
**Goetz's cervix catheter,**  
4 mmØ, chrome-plated  
Hauptner mount    Luer mount  
44 cm, 54 cm



**WI-315**  
**Goetz's intra-uterine  
injection catheter,**  
36 cm, 8 mmØ, chrome-plated  
Luer mount

# Forceps



**WI-316**  
**Goetz's cervix forceps**  
for mares, 54 cm, stainless



**WI-317**  
**Goetz's cervix forceps**  
for mares, with light attachment,  
54 cm, stainless



**WI-318**  
**Uterine pump**  
with tubing and 2 safety attachments  
33 and 28 mm Ø, chrome-plated



**WI-319**  
**Uterine holding forceps,**  
straight, 20 cm, stainless



**WI-320**  
**Gock's uterine holding forceps,**  
23 cm, stainless  
Spare silicon plates, pair



**WI-321**  
**Uterine holding forceps,**  
slightly curved, 29 cm, stainless  
Spare rubber plates, pair



**WI-322**  
**Uterine catheter**  
for dogs, with Luer mount,  
straight,  $\varnothing$ 3 mm, 15 cm, nickel-plated



**WI-323**  
**Urinary catheter**  
for bitches, with Luer mount, curved  
head,  $\varnothing$ 2.5 mm, 18 cm, nickel-plated



**WI-324**  
**Urinary catheter**  
for bitches, with Luer mount,  
curved head, 25 cm, nickel-plated  
 $\varnothing$ 2.5 mm     $\varnothing$ 3.5 mm



**WI-325**  
**Trocar,**  
with metal handle, with  
2 canulas, length of shaft  
11 cm, 5 mm $\varnothing$ , nickel-plated



**WI-326**  
**Goetze's Trocar,**  
with metal handle, with  
1 canulas, length of shaft  
28 cm, 5 mm $\varnothing$ , nickel-plated



**WI-327**  
**Trocar,**  
with metal handle, with  
2 canulas, length of shaft  
17.5 cm, 7 mm $\varnothing$ , nickel-plated



**WI-328**  
**Trocar,**  
with metal handle, with  
2 canulas, length of shaft  
10 cm, 4 mm $\varnothing$ , nickel-plated



**WI-329**  
**Trocar,**  
with wooden handle, and  
2 canulas, length of shaft  
12.5 cm, 7 mm $\varnothing$ , nickel-plated



**WI-330**  
**Buff's Trocar,**  
plastic, length of shaft 11 cm  
**Trocar, without stiletto**

# Instruments for Oesophagus and Stomach



**WI-331**  
**Throat catheter,**  
brass, 70 cm, 4 mm Ø,  
Luer mount



**WI-332**  
**Dr. Schimmelfennig's**  
**balling gun,** 19 mm Ø, not  
suitable for sheep, nickel-plated



**WI-333**  
**Balling gun,**  
for sheep, 12 mm Ø,



**WI-334**  
**Thiro's pliable**  
**balling gun,**  
Enlarged to give  
the foreign body  
magnets, 35 mm Ø  
nickel-plated



**WI-335**  
**Rumen holding**  
**forceps**  
with hook, straight,  
20 cm, stainless



**WI-336**  
**Rumen holding**  
**forceps**  
without hook, straight,  
20 cm, stainless



**WI-337**  
**Frauenholz's probang,**  
tin-plated spiral wire,  
without covering and  
without mouth gag



**WI-338**  
**Thygesen's stomach**  
**tube,** with extractor, the  
wire spiral is fitted with cup  
shaped and loop, attachments,  
These are used, to extract or to  
push down the obstruction,  
nickel-plated, 1.60 m



**WI-339**  
**Wood mouth,**  
Gags for probangs



**WI-340**  
**Witte's large loop,**  
20 cm, only for  
no. 338



**WI-341**  
**Thiro's probang,**  
2 m, 17 mm Ø, nickel-plated



**WI-342**  
**Thygesen's stomach**  
**tube,** for calves, with cup shaped  
and loop attachments, tin-plated  
1.20 m



**WI-343**  
Small percussion hammer,  
100 g, 17 cm long, chrome plated



**WI-344**  
Pleximeter,  
50 x 28 mm, nickel-plated



**WI-345**  
Stethoscope with flexible rubber,  
bell-shaped chest piece  
50 mm Ø, lateral leads, made of plastic



**WI-346**  
Speculum  
for aural, vaginal and rectal  
inspection, jaw 32 mm, stainless



**WI-347**  
Killian's speculum  
for small animals, jaw 90 mm,  
stainless



**WI-348**  
Noye's foreign body forceps,  
suitable for otoscope funnels  
over 4 mm Ø, working length  
10 cm, stainless



**WI-349**  
Hartmann's foreign  
body forceps,  
Extra fine, suitable for  
otoscope funnels over  
2.5 mm Ø, working length  
13 cm, jaw 10 mm, stainless



**WI-350**  
Dressing holder,  
17 cm, 2 mm Ø,  
stainless



**WI-351**  
Tic forceps,  
made of plastic, for easy  
removing of tics, 9.5 cm



**WI-352**  
Diagnostic set

## Dental Instruments



**WI-353**  
Blade,  
17.5 cm,  
stainless



**WI-354**  
Lewis' tooth rasp,  
for small rodents, 18 cm  
stainless



**WI-355**  
Friedmann's  
dental forceps,  
for rodents, 12 cm,  
stainless



**WI-356**  
Dental forceps,  
straight, 17 cm, stainless



**WI-357**  
Dental forceps,  
curved, 17 cm, stainless



**WI-358**  
Dental forceps,  
straight, 14 cm, stainless



**WI-359**  
Dental forceps,  
curved, 11 cm, stainless  
slightly curved, 11 cm,



**WI-360**  
Bein's root elevator,  
14 cm, stainless  
5 mm 3 mm 2 mm



**WI-361**  
Dental forceps,  
curved point, rifled,  
15 cm, stainless



**WI-362**  
Tooth scaler,  
15 cm, stainless



**WI-363**  
Tooth scaler,  
15 cm, stainless



**WI-364**  
Tooth scaler,  
15 cm, stainless



**WI-365**  
Tooth scaler,  
15 cm, stainless



**WI-366**  
**Round ended probe,**  
15 cm, stainless  
2 mm Ø,



**WI-367**  
**Hook retractor forceps**  
with ratchet, take-apart,  
20 cm, stainless



**WI-368**  
**Backhaus'towel clip,** 9 cm, stainless



**WI-369**  
**Towel clip,**  
forceps form,  
9 cm, stainless



**WI-370**  
**Mosquito forceps with ratchet,**  
12.5 cm, stainless  
straight / curved



**WI-371**  
**Doyen's intestinal forceps,**  
24 cm, stainless  
straight / curved



**WI-372**  
**Sharp spoon,**  
size: 2.3 mm Ø,  
12 cm long, stainless



**WI-373**  
**Volkmann's double spoon,**  
size: 20 x 6 mm and  
10 x 6 mm, 15 cm long



**WI-374**  
**Spare rubber rope,**  
single, 60 cm long



**WI-375**  
**Pean's artery forceps,**  
straight, short jaws, stainless  
13 cm



**WI-376**  
**Pean's artery forceps,**  
long jaws, stainless  
13 cm 24 cm  
straight / curved



**WI-377**  
**Deschamp's ligature needle,** 20 cm, stainless  
Right / Left



**WI-378**  
**Dessecting Forceps,**  
stainless  
length 11.5 cm 13 cm



**WI-379**  
**Dessecting Forceps,**  
stainless, extra fine, 14.5 cm



**WI-380**  
**Tissue Forceps,**  
with 1:2 teeth, stainless  
length 11.5 cm, 13 cm, 14.5 cm



**WI-381**  
**Tissue Forceps,**  
14.5 cm, stainless  
2:3 teeth 1:2 teeth



**WI-382**  
**Splinter Forceps,**  
stainless  
length 8 cm, 11.5 cm, 13 cm



**WI-383**  
**Troeltsch's dressing**  
**Forceps,**  
for ear treatment, angular, 12 cm,  
stainless



**WI-384**  
**Troeltsch's dressing**  
**Forceps,**  
for ear treatment, angular,  
12 cm, stainless



**WI-385**  
**Lucae's dressing**  
**Forceps,**  
bayonet, for ear treatment,  
14 cm, nichtrostend



**WI-386**  
**Lucae's dressing**  
**Forceps,**  
bayonet, for ear treatment,  
14 cm, stainless



**WI-387  
Retractor**  
with 4:4 blunt teeth,  
10 cm, stainless



**WI-388  
Retractor**  
with 4:4 blunt sharp teeth,  
10 cm, stainless



**WI-389  
Weitlaner's retractor**  
with 3:4 sharp teeth,  
13 cm, stainless



**WI-390  
Michels-Bayer suturing set,**  
containing: 1 clip forceps 391  
1 forceps 392 for applying and removing  
wound clip and 25 wound clip 12 mm  
metal case appr. 15 x 6.5 x 2.2 cm, stainless



**WI-391  
Michel's forceps**  
for applying wound clips,  
12 cm, stainless



**WI-392  
Michel's forceps**  
for applying and removing  
wound clips, 12 cm, stainless



**WI-393  
Wound clips,**  
stainless, package of 100 pcs.  
12 mm 14 mm 16 mm 18 mm



**WI-394**  
**Eye needle**,  
round profile, fully curved,  
spring head, nickel-plated



**WI-395**  
**Suture needle sterilising  
and storage container**,  
60 x 40 x 8 mm, stainless



**WI-396**  
**Mathieu's needle holder**,  
stainless with hard metal jaws  
14 cm, 17 cm



**WI-397**  
**Ermold's needle  
holder**,  
17 cm, stainless



**WI-398**  
**Castration hook**  
for cats, 14.5 cm,  
bow 7 mm, stainless



**WI-399**  
**Curved emasculator**  
with scissor grip, for spaying  
of bitches, 20 cm long



**WI-400**  
**Liliput emasculator**  
for rabbits, 15 cm long



**WI-401**  
**Hoffmann's  
docking shears**,  
for dog, 20 cm,  
chrome-plated



**WI-402**  
**Niemand's  
whelping forceps**,  
28 cm, stainless



**WI-403**  
**whelping forceps**,  
Approx. 20.5 cm, stainless



**WI-404**  
**Cat holding cage**,  
20 x 20 x 40 cm,  
galvanized



**WI-405**  
**Dog catcher**,  
tub 150 cm, wire ca.  
30 cm Ø



**WI-406**  
**Foot ring scissors,**  
for birds, 10 cm,  
stainless



**WI-407**  
**Dog claw clippers,**  
for all breeds, 14 cm,  
nickel-plated



**WI-408**  
**Claw clippers,**  
for small and medium-sized  
breeds, 13 cm, nickel-plated



**WI-409**  
**Claw clippers,**  
with cutting flanks curved  
inwards, stops claws from  
slipping, for all breeds,  
13 cm, nickel-plated



**WI-410**  
**Claw clippers,**  
with end stop to limit the  
length of claw cut off, for  
small and medium breeds,  
13 cm, nickel-plated



**WI-411**  
**Claw clippers,**  
for all breeds, heavy-duty  
design, 16 cm, stainless



**WI-412**  
**Claw clippers,**  
for cats, 8 cm, nickel-plated



**WI-413**  
**Double fleecing comb,**  
with metal handle, fold-up  
design, nickel-plated, particularly  
suitable for terriers, 17 cm,



**WI-414**  
**Fleecing comb,**  
with wooden handle, fold-up  
design, 19 cm, nickel-plated



**WI-415**  
**Trimmer**  
**"Flamang spezial 1"**  
with short teeth for the top  
coat, particularly for  
west Highland Terrier and  
all similar coated breeds, for  
fright-handed users, 13 cm

# Surgical Forceps & Scissors



**WI-416**  
**Dissecting Forceps**  
stainless  
length 11.5 cm,  
13 cm, 14.5 cm,  
16 cm



**WI-417**  
**Tissue Forceps**  
with 1:2 teeth,  
stainless  
11.5 cm, 13 cm,  
14.5 cm, 16 cm



**WI-418**  
**Splinter Forceps**  
stainless  
10 cm, 13 cm,



**WI-419**  
**Iris forceps**  
stainless  
10.5 cm,  
stainless



**WI-420**  
**Lucae's dressing forceps**  
boyonet, for ear treatment  
14 cm, stainless



**WI-421**  
**Troeltsch's dressing forceps**  
for ear treatment,  
angular, 12 cm  
stainless



**WI-422**  
**Surgical scissors,**  
straight, blunt-pointed,  
stainless  
13 cm, 14.5 cm,  
16.5 cm



**WI-423**  
**Surgical scissors,**  
straight, pointed-pointed,  
stainless  
11.5 cm, 13 cm,  
14.5 cm, 16.5 cm



**WI-424**  
**Surgical scissors,**  
straight, blunt-blunt,  
stainless  
13 cm, 14.5 cm,  
16.5 cm



**WI-425**  
**Surgical scissors,**  
curved, blunt-pointed,  
stainless  
13 cm, 14.5 cm,  
16.5 cm



**WI-426**  
**Surgical scissors,**  
curved, pointed-pointed,  
stainless  
14.5 cm, 16.5 cm,



**WI-427**  
**Surgical scissors,**  
curved, blunt-blunt,  
stainless  
14.5 cm, 16.5 cm,



**WI-428**  
**Metzenbaum's scissors,**  
blunt-blunt,  
stainless  
14.5 cm, 18 cm,



**WI-429**  
Iris scissors,  
straight, 11.5 cm  
stainless



**WI-430**  
Iris scissors,  
lateral curved,  
11.5 cm, stainless



**WI-431**  
Iris scissors,  
curved, 11.5 cm,  
stainless



**WI-432**  
Lister's dressing  
scissors, stainless  
14 cm, 18 cm



**WI-433**  
Universal scissors,  
with coloured handle  
18 cm stainless



**WI-434**  
Scalpel handle  
no. 4 stainless



**WI-435**  
Pean's artery forceps,  
long jaws, stainless  
14.5 cm, 16 cm, 20 cm



**WI-436**  
Kochre-Ochsner  
artery forceps,  
1:2 rat teeth, long  
jaws, stainless  
14 cm, 16 cm, 20 cm



**WI-437**  
Allis' forceps,  
for tissue grasping  
5:6 teeth, 15 cm  
stainless



**WI-438**  
Doyen's intestinal  
forceps,  
24 cm, stainless  
straight / curved



**WI-439**  
Pratt's hook  
retractor forceps,  
with 4:4 teeth,  
26 cm, stainless



**WI-440**  
Mathieu's needle  
forceps,  
stainless  
14 cm, 17 cm, 20 cm



# WITTEX

## INTERNATIONAL

— MANUFACTURERS & EXPORTERS OF VETERINARY INSTRUMENTS —

# THANK YOU

FOR VIEWING OUR CATALOGUE

Wazirabad Road, Harar Sialkot 51310 - Pakistan.



+92 52 3574265 Fax: +92 52 3574266



wittex.export@gmail.com



wittex.international@gmail.com



www.wittex.com



+92 302 6145700 / +92 300 6810073  
+92 302 6145700



PRECISION . QUALITY . TRUST .

